

Appendix F

Air Quality and Greenhouse Gas Report

Newport Harbor Dredging (CEQA Projects) - Air Pollutant Emission Inventory - CO2

Year 2022

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	CO2 Fac	2022				2022				2022				2022				2022			
							Jul 1st	2nd	3rd	4th	Aug 1st	2nd	3rd	4th	Sep 1st	2nd	3rd	4th	Oct 1st	2nd	3rd	4th	Nov 1st	2nd	3rd	4th
Phase 1: Excavate CAD																										
Subphase 1a: Excavate CAD																										
	Crew/Work Boat	2	100	5	59	0.38	486.00																			
	Mechanical Dredger	1	2500	10	59	0.29	472.05																			
	Split Hull Barge	2	350	3	59	0.38	486.00																			
	Tugboat	1	2000	8	59	0.31	486.00																			
Phase 2: Dredge Unsuitable Material and Place in CAD																										
Subphase 2a: Dredge Unsuitable Material and Place in CAD																										
	Mechanical Dredger	1	2500	10	13	0.29	472.05																			
	Tugboat	1	2000	5	13	0.31	486.00																			
	Crew/Work Boat	2	100	5	13	0.38	486.00																			
	Split Hull Barge	2	350	3	13	0.38	486.00																			
Phase 3: Dredge Newport Channel 3 for Interim Cover																										
Subphase 3a: Dredge Newport Channel 3 for Interim Cap																										
	Mechanical Dredger	1	2500	10	2	0.29	472.05																			
	Tugboat	1	2000	5	2	0.31	486.00																			
	Crew/Work Boat	2	100	5	2	0.38	486.00																			
	Split Hull Barge	2	350	3	2	0.38	486.00																			
Phase 4: Dredge Non-Federal Channel Material																										
Subphase 4a: Mobilization (Smaller Dredge Equipment)																										
	Mechanical Dredger	1	1400	2	15	0.29	472.05																			
	Tugboat	1	2000	5	15	0.31	486.00																			
	Crew/Work Boat	2	100	5	15	0.38	486.00																			
	Split Hull Barge	2	350	3	15	0.38	486.00																			
Subphase 4b: Dredging Window																										
	Crew/Work Boat	2	100	5	25	0.38	486.00																			
	Mechanical Dredger	1	1400	10	25	0.29	472.05																			
	Split Hull Barge	2	350	3	25	0.38	486.00																			
	Tugboat	1	2000	5	25	0.31	486.00																			
Phase 4c: Demobilization																										
	Crew/Work Boat	2	100	5	15	0.38	486.00																			
	Mechanical Dredger	1	1400	2	15	0.29	472.05																			
	Split Hull Barge	2	350	3	15	0.38	486.00																			
	Tugboat	1	2000	2	15	0.31	486.00																			
Phase 5: Dredge Channel 3 and Place Final CAP																										
Subphase 5a: Mobilization (Smaller Dredge Equipment)																										
	Mechanical Dredger	1	1400	2	15	0.29	472.05																			
	Tugboat	1	2000	5	15	0.31	486.00																			
	Crew/Work Boat	2	100	5	15	0.38	486.00																			
	Split Hull Barge	2	350	3	15	0.38	486.00																			
Subphase 5b: Dredge Channel 3 and Place in CAD for Final Cap																										
	Mechanical Dredger	1	1400	10	17	0.29	472.05																			
	Tugboat	1	2000	5	17	0.31	486.00																			
	Crew/Work Boat	2	100	5	17	0.38	486.00																			
	Split Hull Barge	2	350	3	17	0.38	486.00																			
Subphase 5c: Dredge Remaining Material in Newport Channel 3																										
	Mechanical Dredger	1	1400	10	18	0.29	472.05																			
	Tugboat	1	2000	5	18	0.31	486.00																			
	Crew/Work Boat	2	100	5	18	0.38	486.00																			
	Split Hull Barge	2	350	3	18	0.38	486.00																			
Phase 5d: Demobilization																										
	Crew/Work Boat	2	100	5	15	0.38	486.00																			
	Mechanical Dredger	1	1400	2	15	0.29	472.05																			
	Split Hull Barge	2	350	2	15	0.38	486.00																			
	Tugboat	1	2000	2	15	0.31	486.00																			
CO2 Daily Average Emission (lbs/workday)																										
CO2 Annual Emission (tons/year)																										
							Year 2022: Total CO2								14124.0				12130.8				12130.8			
							507.6 tons																			
							460.4 MT																			

Newport Harbor Dredging (CEQA Projects) - Air Pollutant Emission Inventory - NOx

Year 2022

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	NOx Fac	2022				2022				2022				2022				2022								
							Jul 1st	2nd	3rd	4th	Aug 1st	2nd	3rd	4th	Sep 1st	2nd	3rd	4th	Oct 1st	2nd	3rd	4th	Nov 1st	2nd	3rd	4th					
Phase 1: Excavate CAD																															
Subphase 1a: Excavate CAD																															
	Crew/Work Boat	2	100	5	59	0.38	5.50																								
	Mechanical Dredger	1	2500	10	59	0.29	2.39																								
	Split Hull Barge	2	350	3	59	0.38	5.50																								
	Tugboat	1	2000	8	59	0.31	5.50																								
Phase 2: Dredge Unsuitable Material and Place in CAD																															
Subphase 2a: Dredge Unsuitable Material and Place in CAD																															
	Mechanical Dredger	1	2500	10	13	0.29	2.39																								
	Tugboat	1	2000	5	13	0.31	5.50																								
	Crew/Work Boat	2	100	5	13	0.38	5.50																								
	Split Hull Barge	2	350	3	13	0.38	5.50																								
Phase 3: Dredge Newport Channel 3 for Interim Cover																															
Subphase 3a: Dredge Newport Channel 3 for Interim Cap																															
	Mechanical Dredger	1	2500	10	2	0.29	2.39																								
	Tugboat	1	2000	5	2	0.31	5.50																								
	Crew/Work Boat	2	100	5	2	0.38	5.50																								
	Split Hull Barge	2	350	3	2	0.38	5.50																								
Phase 4: Dredge Non-Federal Channel Material																															
Subphase 4a: Mobilization (Smaller Dredge Equipment)																															
	Mechanical Dredger	1	1400	2	15	0.29	2.39																								
	Tugboat	1	2000	5	15	0.31	5.50																								
	Crew/Work Boat	2	100	5	15	0.38	5.50																								
	Split Hull Barge	2	350	3	15	0.38	5.50																								
Subphase 4b: Dredging Window																															
	Crew/Work Boat	2	100	5	25	0.38	5.50																								
	Mechanical Dredger	1	1400	10	25	0.29	2.39																								
	Split Hull Barge	2	350	3	25	0.38	5.50																								
	Tugboat	1	2000	5	25	0.31	5.50																								
Phase 4c: Demobilization																															
	Crew/Work Boat	2	100	5	15	0.38	5.50																								
	Mechanical Dredger	1	1400	2	15	0.29	2.39																								
	Split Hull Barge	2	350	3	15	0.38	5.50																								
	Tugboat	1	2000	2	15	0.31	5.50																								
Phase 5: Dredge Channel 3 and Place Final CAP																															
Subphase 5a: Mobilization (Smaller Dredge Equipment)																															
	Mechanical Dredger	1	1400	2	15	0.29	2.39																								
	Tugboat	1	2000	5	15	0.31	5.50																								
	Crew/Work Boat	2	100	5	15	0.38	5.50																								
	Split Hull Barge	2	350	3	15	0.38	5.50																								
Subphase 5b: Dredge Channel 3 and Place in CAD for Final Cap																															
	Mechanical Dredger	1	1400	10	17	0.29	5.50																								
	Tugboat	1	2000	5	17	0.31	2.39																								
	Crew/Work Boat	2	100	5	17	0.38	5.50																								
	Split Hull Barge	2	350	3	17	0.38	5.50																								
Subphase 5c: Dredge Remaining Material in Newport Channel 3																															
	Mechanical Dredger	1	1400	10	18	0.29	5.50																								
	Tugboat	1	2000	5	18	0.31	2.39																								
	Crew/Work Boat	2	100	5	18	0.38	5.50																								
	Split Hull Barge	2	350	3	18	0.38	5.50																								
Phase 5d: Demobilization																															
	Crew/Work Boat	2	100	5	15	0.38	5.50																								
	Mechanical Dredger	1	1400	2	15	0.29	2.39																								
	Split Hull Barge	2	350	2	15	0.38	5.50																								
	Tugboat	1	2000	2	15	0.31	5.50																								
NOx Daily Average Emission (lbs/workday)								112.6								90.0								90.0							
NOx Annual Emission (tons/year)								Year 2022: Total NOx								4.00 tons															

Newport Harbor Dredging (CEQA Projects) - Air Pollutant Emission Inventory - PM10

Year 2022

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	PM10 Fac	2022																				
							Jul 1st	2nd	3rd	4th	Aug 1st	2nd	3rd	4th	Sep 1st	2nd	3rd	4th	Oct 1st	2nd	3rd	4th	Nov 1st	2nd	3rd	4th	
Phase 1: Excavate CAD																											
Subphase 1a: Excavate CAD																											
	Crew/Work Boat	2	100	5	59	0.38	0.20																				
	Mechanical Dredger	1	2500	10	59	0.29	0.06																				
	Split Hull Barge	2	350	3	59	0.38	0.20																				
	Tugboat	1	2000	8	59	0.31	0.20																				
Phase 2: Dredge Unsuitable Material and Place in CAD																											
Subphase 2a: Dredge Unsuitable Material and Place in CAD																											
	Mechanical Dredger	1	2500	10	13	0.29	0.06																				
	Tugboat	1	2000	5	13	0.31	0.20																				
	Crew/Work Boat	2	100	5	13	0.38	0.20																				
	Split Hull Barge	2	350	3	13	0.38	0.20																				
Phase 3: Dredge Newport Channel 3 for Interim Cover																											
Subphase 3a: Dredge Newport Channel 3 for Interim Cap																											
	Mechanical Dredger	1	2500	10	2	0.29	0.06																				
	Tugboat	1	2000	5	2	0.31	0.20																				
	Crew/Work Boat	2	100	5	2	0.38	0.20																				
	Split Hull Barge	2	350	3	2	0.38	0.20																				
Phase 4: Dredge Non-Federal Channel Material																											
Subphase 4a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Tugboat	1	2000	5	15	0.31	0.20																				
	Crew/Work Boat	2	100	5	15	0.38	0.20																				
	Split Hull Barge	2	350	3	15	0.38	0.20																				
Subphase 4b: Dredging Window																											
	Crew/Work Boat	2	100	5	25	0.38	0.20																				
	Mechanical Dredger	1	1400	10	25	0.29	0.06																				
	Split Hull Barge	2	350	3	25	0.38	0.20																				
	Tugboat	1	2000	5	25	0.31	0.20																				
Phase 4c: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.20																				
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Split Hull Barge	2	350	3	15	0.38	0.20																				
	Tugboat	1	2000	2	15	0.31	0.20																				
Phase 5: Dredge Channel 3 and Place Final CAP																											
Subphase 5a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Tugboat	1	2000	5	15	0.31	0.20																				
	Crew/Work Boat	2	100	5	15	0.38	0.20																				
	Split Hull Barge	2	350	3	15	0.38	0.20																				
Subphase 5b: Dredge Channel 3 and Place in CAD for Final Cap																											
	Mechanical Dredger	1	1400	10	17	0.29	0.06																				
	Tugboat	1	2000	5	17	0.31	0.20																				
	Crew/Work Boat	2	100	5	17	0.38	0.20																				
	Split Hull Barge	2	350	3	17	0.38	0.20																				
Subphase 5c: Dredge Remaining Material in Newport Channel 3																											
	Mechanical Dredger	1	1400	10	18	0.29	0.06																				
	Tugboat	1	2000	5	18	0.31	0.20																				
	Crew/Work Boat	2	100	5	18	0.38	0.20																				
	Split Hull Barge	2	350	3	18	0.38	0.20																				
Phase 5d: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.20																				
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Split Hull Barge	2	350	2	15	0.38	0.20																				
	Tugboat	1	2000	2	15	0.31	0.20																				
PM10 Daily Average Emission (lbs/workday)							3.7												2.9				2.9				
PM10 Annual Emission (tons/year)							Year 2022: Total PM10												0.13 tons								

Newport Harbor Dredging (CEQA Projects) - Air Pollutant Emission Inventory - PM25

Year 2022

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	PM25 Fac	2022																				
							Jul 1st	2nd	3rd	4th	Aug 1st	2nd	3rd	4th	Sep 1st	2nd	3rd	4th	Oct 1st	2nd	3rd	4th	Nov 1st	2nd	3rd	4th	
Phase 1: Excavate CAD																											
Subphase 1a: Excavate CAD																											
	Crew/Work Boat	2	100	5	59	0.38	0.18																				
	Mechanical Dredger	1	2500	10	59	0.29	0.06																				
	Split Hull Barge	2	350	3	59	0.38	0.18																				
	Tugboat	1	2000	8	59	0.31	0.18																				
Phase 2: Dredge Unsuitable Material and Place in CAD																											
Subphase 2a: Dredge Unsuitable Material and Place in CAD																											
	Mechanical Dredger	1	2500	10	13	0.29	0.06																				
	Tugboat	1	2000	5	13	0.31	0.18																				
	Crew/Work Boat	2	100	5	13	0.38	0.18																				
	Split Hull Barge	2	350	3	13	0.38	0.18																				
Phase 3: Dredge Newport Channel 3 for Interim Cover																											
Subphase 3a: Dredge Newport Channel 3 for Interim Cap																											
	Mechanical Dredger	1	2500	10	2	0.29	0.06																				
	Tugboat	1	2000	5	2	0.31	0.18																				
	Crew/Work Boat	2	100	5	2	0.38	0.18																				
	Split Hull Barge	2	350	3	2	0.38	0.18																				
Phase 4: Dredge Non-Federal Channel Material																											
Subphase 4a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Tugboat	1	2000	5	15	0.31	0.18																				
	Crew/Work Boat	2	100	5	15	0.38	0.18																				
	Split Hull Barge	2	350	3	15	0.38	0.18																				
Subphase 4b: Dredging Window																											
	Crew/Work Boat	2	100	5	25	0.38	0.18																				
	Mechanical Dredger	1	1400	10	25	0.29	0.06																				
	Split Hull Barge	2	350	3	25	0.38	0.18																				
	Tugboat	1	2000	5	25	0.31	0.18																				
Phase 4c: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.18																				
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Split Hull Barge	2	350	3	15	0.38	0.18																				
	Tugboat	1	2000	2	15	0.31	0.18																				
Phase 5: Dredge Channel 3 and Place Final CAP																											
Subphase 5a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Tugboat	1	2000	5	15	0.31	0.18																				
	Crew/Work Boat	2	100	5	15	0.38	0.18																				
	Split Hull Barge	2	350	3	15	0.38	0.18																				
Subphase 5b: Dredge Channel 3 and Place in CAD for Final Cap																											
	Mechanical Dredger	1	1400	10	17	0.29	0.06																				
	Tugboat	1	2000	5	17	0.31	0.18																				
	Crew/Work Boat	2	100	5	17	0.38	0.18																				
	Split Hull Barge	2	350	3	17	0.38	0.18																				
Subphase 5c: Dredge Remaining Material in Newport Channel 3																											
	Mechanical Dredger	1	1400	10	18	0.29	0.06																				
	Tugboat	1	2000	5	18	0.31	0.18																				
	Crew/Work Boat	2	100	5	18	0.38	0.18																				
	Split Hull Barge	2	350	3	18	0.38	0.18																				
Phase 5d: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.18																				
	Mechanical Dredger	1	1400	2	15	0.29	0.06																				
	Split Hull Barge	2	350	2	15	0.38	0.18																				
	Tugboat	1	2000	2	15	0.31	0.18																				
PM25 Daily Average Emission (lbs/workday)																											
PM25 Annual Emission (tons/year)																											
		3.3												2.6				2.6									
		Year 2022: Total PM25 0.12 tons																									

Newport Harbor Dredging (CEQA Projects) - Air Pollutant Emission Inventory - ROG

Year 2022

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	ROG Fac	2022																				
							Jul 1st	2nd	3rd	4th	Aug 1st	2nd	3rd	4th	Sep 1st	2nd	3rd	4th	Oct 1st	2nd	3rd	4th	Nov 1st	2nd	3rd	4th	
Phase 1: Excavate CAD																											
Subphase 1a: Excavate CAD																											
	Crew/Work Boat	2	100	5	59	0.38	0.31																				
	Mechanical Dredger	1	2500	10	59	0.29	0.20																				
	Split Hull Barge	2	350	3	59	0.38	0.31																				
	Tugboat	1	2000	8	59	0.31	0.31																				
Phase 2: Dredge Unsuitable Material and Place in CAD																											
Subphase 2a: Dredge Unsuitable Material and Place in CAD																											
	Mechanical Dredger	1	2500	10	13	0.29	0.20																				
	Tugboat	1	2000	5	13	0.31	0.31																				
	Crew/Work Boat	2	100	5	13	0.38	0.31																				
	Split Hull Barge	2	350	3	13	0.38	0.31																				
Phase 3: Dredge Newport Channel 3 for Interim Cover																											
Subphase 3a: Dredge Newport Channel 3 for Interim Cap																											
	Mechanical Dredger	1	2500	10	2	0.29	0.20																				
	Tugboat	1	2000	5	2	0.31	0.31																				
	Crew/Work Boat	2	100	5	2	0.38	0.31																				
	Split Hull Barge	2	350	3	2	0.38	0.31																				
Phase 4: Dredge Non-Federal Channel Material																											
Subphase 4a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.20																				
	Tugboat	1	2000	5	15	0.31	0.31																				
	Crew/Work Boat	2	100	5	15	0.38	0.31																				
	Split Hull Barge	2	350	3	15	0.38	0.31																				
Subphase 4b: Dredging Window																											
	Crew/Work Boat	2	100	5	25	0.38	0.31																				
	Mechanical Dredger	1	1400	10	25	0.29	0.20																				
	Split Hull Barge	2	350	3	25	0.38	0.31																				
	Tugboat	1	2000	5	25	0.31	0.31																				
Phase 4c: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.31																				
	Mechanical Dredger	1	1400	2	15	0.29	0.20																				
	Split Hull Barge	2	350	3	15	0.38	0.31																				
	Tugboat	1	2000	2	15	0.31	0.31																				
Phase 5: Dredge Channel 3 and Place Final CAP																											
Subphase 5a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.20																				
	Tugboat	1	2000	5	15	0.31	0.31																				
	Crew/Work Boat	2	100	5	15	0.38	0.31																				
	Split Hull Barge	2	350	3	15	0.38	0.31																				
Subphase 5b: Dredge Channel 3 and Place in CAD for Final Cap																											
	Mechanical Dredger	1	1400	10	17	0.29	0.20																				
	Tugboat	1	2000	5	17	0.31	0.20																				
	Crew/Work Boat	2	100	5	17	0.38	0.31																				
	Split Hull Barge	2	350	3	17	0.38	0.31																				
Subphase 5c: Dredge Remaining Material in Newport Channel 3																											
	Mechanical Dredger	1	1400	10	18	0.29	0.20																				
	Tugboat	1	2000	5	18	0.31	0.20																				
	Crew/Work Boat	2	100	5	18	0.38	0.31																				
	Split Hull Barge	2	350	3	18	0.38	0.31																				
Phase 5d: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.31																				
	Mechanical Dredger	1	1400	2	15	0.29	0.20																				
	Split Hull Barge	2	350	2	15	0.38	0.31																				
	Tugboat	1	2000	2	15	0.31	0.31																				
ROG Daily Average Emission (lbs/workday)																											
ROG Annual Emission (tons/year)																											
Year 2022: Total ROG 0.26 tons 7.4 6.1 6.1																											

Newport Harbor Dredging (CEQA Projects) - Air Pollutant Emission Inventory - SO2

Year 2022

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	SO2 Fac	2022																				
							Jul 1st	2nd	3rd	4th	Aug 1st	2nd	3rd	4th	Sep 1st	2nd	3rd	4th	Oct 1st	2nd	3rd	4th	Nov 1st	2nd	3rd	4th	
Phase 1: Excavate CAD																											
Subphase 1a: Excavate CAD																											
	Crew/Work Boat	2	100	5	59	0.38	0.00																				
	Mechanical Dredger	1	2500	10	59	0.29	0.01																				
	Split Hull Barge	2	350	3	59	0.38	0.00																				
	Tugboat	1	2000	8	59	0.31	0.00																				
Phase 2: Dredge Unsuitable Material and Place in CAD																											
Subphase 2a: Dredge Unsuitable Material and Place in CAD																											
	Mechanical Dredger	1	2500	10	13	0.29	0.01																				
	Tugboat	1	2000	5	13	0.31	0.00																				
	Crew/Work Boat	2	100	5	13	0.38	0.00																				
	Split Hull Barge	2	350	3	13	0.38	0.00																				
Phase 3: Dredge Newport Channel 3 for Interim Cover																											
Subphase 3a: Dredge Newport Channel 3 for Interim Cap																											
	Mechanical Dredger	1	2500	10	2	0.29	0.01																				
	Tugboat	1	2000	5	2	0.31	0.00																				
	Crew/Work Boat	2	100	5	2	0.38	0.00																				
	Split Hull Barge	2	350	3	2	0.38	0.00																				
Phase 4: Dredge Non-Federal Channel Material																											
Subphase 4a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.01																				
	Tugboat	1	2000	5	15	0.31	0.00																				
	Crew/Work Boat	2	100	5	15	0.38	0.00																				
	Split Hull Barge	2	350	3	15	0.38	0.00																				
Subphase 4b: Dredging Window																											
	Crew/Work Boat	2	100	5	25	0.38	0.00																				
	Mechanical Dredger	1	1400	10	25	0.29	0.01																				
	Split Hull Barge	2	350	3	25	0.38	0.00																				
	Tugboat	1	2000	5	25	0.31	0.00																				
Phase 4c: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.00																				
	Mechanical Dredger	1	1400	2	15	0.29	0.01																				
	Split Hull Barge	2	350	3	15	0.38	0.00																				
	Tugboat	1	2000	2	15	0.31	0.00																				
Phase 5: Dredge Channel 3 and Place Final CAP																											
Subphase 5a: Mobilization (Smaller Dredge Equipment)																											
	Mechanical Dredger	1	1400	2	15	0.29	0.01																				
	Tugboat	1	2000	5	15	0.31	0.00																				
	Crew/Work Boat	2	100	5	15	0.38	0.00																				
	Split Hull Barge	2	350	3	15	0.38	0.00																				
Subphase 5b: Dredge Channel 3 and Place in CAD for Final Cap																											
	Mechanical Dredger	1	1400	10	17	0.29	0.01																				
	Tugboat	1	2000	5	17	0.31	0.00																				
	Crew/Work Boat	2	100	5	17	0.38	0.00																				
	Split Hull Barge	2	350	3	17	0.38	0.00																				
Subphase 5c: Dredge Remaining Material in Newport Channel 3																											
	Mechanical Dredger	1	1400	10	18	0.29	0.01																				
	Tugboat	1	2000	5	18	0.31	0.00																				
	Crew/Work Boat	2	100	5	18	0.38	0.00																				
	Split Hull Barge	2	350	3	18	0.38	0.00																				
Phase 5d: Demobilization																											
	Crew/Work Boat	2	100	5	15	0.38	0.00																				
	Mechanical Dredger	1	1400	2	15	0.29	0.01																				
	Split Hull Barge	2	350	2	15	0.38	0.00																				
	Tugboat	1	2000	2	15	0.31	0.00																				
SO2 Daily Average Emission (lbs/workday)							0.1												0.1				0.1				
SO2 Annual Emission (tons/year)							Year 2022: Total SO2												0.00 tons								

Newport Harbor Dredging (NEPA Projects) - Air Pollutant Emission Inventory - CO

Year 2020

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/ Day	Work Days	Load Fac	CO Fac	2020				2020				Jan			
							Nov 1st	2nd	3rd	4th	Dec 1st	2nd	3rd	4th	1st	2nd		
Phase 1: Entrance Channel Dredging and Rock Revetment																		
Subphase 1a - Mobilization (Larger Dredge Equipment)																		
	Crew/Work Boat	2	100	5	15	0.38	3.73					3.1						
	Mechanical Dredger	1	2500	2	15	0.29	1.00					3.2						
	Split Hull Barge	2	350	3	15	0.38	3.73					6.6						
	Tugboat	1	2000	2	15	0.31	3.73					10.2						
Subphase 1b: Dredge Entrance Channel																		
	Mechanical Dredger	1	2500	10	16	0.29	1.00							16.0				
	Tugboat	1	2000	5	16	0.31	3.73							25.5				
	Crew/work Boat	2	100	5	16	0.38	3.73							3.1				
	Split Hull Barge	2	350	3	16	0.38	3.73							6.6				
Subphase 1c: Rock Revetment Repairs																		
	Dozer	1	215	10	60	0.40	2.37							4.5				
	Crane	1	170	10	60	0.29	3.56							3.9				
	Haul Truck	1	485	10	60	0.38	1.41							5.7				
	Front Loader	1	48	10	60	0.36	6.77							2.6				
Subphase 1d: Demobilization																		
	Crew/work Boat	2	100	5	15	0.38	3.73											
	Mechanical Dredger	1	2500	2	15	0.29	1.00											
	Split Hull Barge	2	350	12	15	0.38	3.73											
	Tugboat	1	2000	2	15	0.31	3.73											
Phase 2: Dredge Suitable Material in Federal Channels																		
Subphase 2a: Mobilization																		
	Crew/work boat	2	100	5	15	0.38	3.73											
	Mechanical Dredger	1	2500	2	15	0.29	1.00											
	Split Hull Barge	2	350	3	15	0.38	3.73											
	Tugboat	1	2000	2	15	0.31	3.73											
Phase 2b: Dredge Suitable Material in Federal Channels																		
	Crew/work boat	2	100	5	157	0.38	3.73											
	Mechanical Dredger	1	2500	10	157	0.29	1.00											
	Split Hull Barge	2	350	3	157	0.38	3.73											
	Tugboat	1	2000	8	157	0.31	3.73											
CO Daily Average Emission (lbs/workday)														23.1		67.8		
CO Annual Emission (tons/year)																		
							Year 2020: Total CO				0.83 tons				Year 2021: Total CO			

Newport Harbor Dredging (NEPA Projects) - Air Pollutant Emission Inventory - CO2

Year 2020

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/ Day	Work Days	Load Fac	CO2 Fac	Nov	2020				Dec	2020				Jan
							1st	2nd	3rd	4th	1st	2nd	3rd	4th	1st		
Phase 1: Entrance Channel Dredging and Rock Revetment																	
Subphase 1a - Mobilization (Larger Dredge Equipment)																	
	Crew/Work Boat	2	100	5	15	0.38	468.00				392.1						
	Mechanical Dredger	1	2500	2	15	0.29	472.05				1509.3						
	Split Hull Barge	2	350	3	15	0.38	468.00				823.5						
	Tugboat	1	2000	2	15	0.31	468.00				1279.6						
Subphase 1b: Dredge Entrance Channel																	
	Mechanical Dredger	1	2500	10	16	0.29	472.05							7,546.4			
	Tugboat	1	2000	5	16	0.31	468.00							3,199.0			
	Crew/work Boat	2	100	5	16	0.38	468.00							392.1			
	Split Hull Barge	2	350	3	16	0.38	468.00							823.5			
Subphase 1c: Rock Revetment Repairs																	
	Dozer	1	215	10	60	0.40	474.79							900.3			
	Crane	1	170	10	60	0.29	474.59							515.9			
	Haul Truck	1	485	10	60	0.38	474.58							1928.6			
	Front Loader	1	48	10	60	0.36	524.70							199.9			
Subphase 1d: Demobilization																	
	Crew/work Boat	2	100	5	15	0.38	468.00										
	Mechanical Dredger	1	2500	2	15	0.29	472.05										
	Split Hull Barge	2	350	12	15	0.38	468.00										
	Tugboat	1	2000	2	15	0.31	468.00										
Phase 2: Dredge Suitable Material in Federal Channels																	
Subphase 2a: Mobilization																	
	Crew/work boat	2	100	5	15	0.38	468.00										
	Mechanical Dredger	1	2500	2	15	0.29	472.05										
	Split Hull Barge	2	350	3	15	0.38	468.00										
	Tugboat	1	2000	2	15	0.31	468.00										
Phase 2b: Dredge Suitable Material in Federal Channels																	
	Crew/work boat	2	100	5	157	0.38	468.00										
	Mechanical Dredger	1	2500	10	157	0.29	472.05										
	Split Hull Barge	2	350	3	157	0.38	468.00										
	Tugboat	1	2000	8	157	0.31	468.00										
CO2 Daily Average Emission (lbs/workday)											4004.5			15,505.8			
CO2 Annual Emission (tons/year)																	
							Year 2020: Total CO2				178.9 tons				Year 2021		
											162.3 MT						

Newport Harbor Dredging (NEPA Projects) - Air Pollutant Emission Inventory - NOx

Year 2020

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	NOx Fac	2020				2020				Jan			
							Nov 1st	2nd	3rd	4th	Dec 1st	2nd	3rd	4th	1st	2nd		
Phase 1: Entrance Channel Dredging and Rock Revetment																		
Subphase 1a - Mobilization (Larger Dredge Equipment)																		
	Crew/Work Boat	2	100	5	15	0.38	5.50				4.6							
	Mechanical Dredger	1	2500	2	15	0.29	2.36				7.5							
	Split Hull Barge	2	350	3	15	0.38	5.50				9.7							
	Tugboat	1	2000	2	15	0.31	5.50				15.0							
Subphase 1b: Dredge Entrance Channel																		
	Mechanical Dredger	1	2500	10	16	0.29	2.36						37.7					
	Tugboat	1	2000	5	16	0.31	5.50						37.6					
	Crew/work Boat	2	100	5	16	0.38	5.50						4.6					
	Split Hull Barge	2	350	3	16	0.38	5.50						9.7					
Subphase 1c: Rock Revetment Repairs																		
	Dozer	1	215	10	60	0.40	6.50						12.3					
	Crane	1	170	10	60	0.29	5.57						6.1					
	Haul Truck	1	485	10	60	0.38	2.35						9.5					
	Front Loader	1	48	10	60	0.36	5.25						2.0					
Subphase 1d: Demobilization																		
	Crew/work Boat	2	100	5	15	0.38	5.50											
	Mechanical Dredger	1	2500	2	15	0.29	2.36											
	Split Hull Barge	2	350	12	15	0.38	5.50											
	Tugboat	1	2000	2	15	0.31	5.50											
Phase 2: Dredge Suitable Material in Federal Channels																		
Subphase 2a: Mobilization																		
	Crew/work boat	2	100	5	15	0.38	5.50											
	Mechanical Dredger	1	2500	2	15	0.29	2.36											
	Split Hull Barge	2	350	3	15	0.38	5.50											
	Tugboat	1	2000	2	15	0.31	5.50											
Phase 2b: Dredge Suitable Material in Federal Channels																		
	Crew/work boat	2	100	5	157	0.38	5.50											
	Mechanical Dredger	1	2500	10	157	0.29	2.36											
	Split Hull Barge	2	350	3	157	0.38	5.50											
	Tugboat	1	2000	8	157	0.31	5.50											
NOx Daily Average Emission (lbs/workday)													36.9			1.0		
NOx Annual Emission (tons/year)																		
							Year 2020: Total NOx				1.44 tons				Year 2021: Total NOx			

Newport Harbor Dredging (NEPA Projects) - Air Pollutant Emission Inventory - PM10

Year 2020

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	PM10 Fac	2020				2020				Jan		
							Nov 1st	2nd	3rd	4th	Dec 1st	2nd	3rd	4th	1st	2nd	
Phase 1: Entrance Channel Dredging and Rock Revetment																	
Subphase 1a - Mobilization (Larger Dredge Equipment)																	
	Crew/Work Boat	2	100	5	15	0.38	0.20				0.2						
	Mechanical Dredger	1	2500	2	15	0.29	0.06				0.2						
	Split Hull Barge	2	350	3	15	0.38	0.20				0.4						
	Tugboat	1	2000	2	15	0.31	0.20				0.6						
Subphase 1b: Dredge Entrance Channel																	
	Mechanical Dredger	1	2500	10	16	0.29	0.06						1.0				
	Tugboat	1	2000	5	16	0.31	0.20						1.4				
	Crew/work Boat	2	100	5	16	0.38	0.20						0.2				
	Split Hull Barge	2	350	3	16	0.38	0.20						0.4				
Subphase 1c: Rock Revetment Repairs																	
	Dozer	1	215	10	60	0.40	0.32						0.6				
	Crane	1	170	10	60	0.29	0.30						0.3				
	Haul Truck	1	485	10	60	0.38	0.09						0.3				
	Front Loader	1	48	10	60	0.36	0.47						0.2				
Subphase 1d: Demobilization																	
	Crew/work Boat	2	100	5	15	0.38	0.20										
	Mechanical Dredger	1	2500	2	15	0.29	0.06										
	Split Hull Barge	2	350	12	15	0.38	0.20										
	Tugboat	1	2000	2	15	0.31	0.20										
Phase 2: Dredge Suitable Material in Federal Channels																	
Subphase 2a: Mobilization																	
	Crew/work boat	2	100	5	15	0.38	0.20										
	Mechanical Dredger	1	2500	2	15	0.29	0.06										
	Split Hull Barge	2	350	3	15	0.38	0.20										
	Tugboat	1	2000	2	15	0.31	0.20										
Phase 2b: Dredge Suitable Material in Federal Channels																	
	Crew/work boat	2	100	5	157	0.38	0.20										
	Mechanical Dredger	1	2500	10	157	0.29	0.06										
	Split Hull Barge	2	350	3	157	0.38	0.20										
	Tugboat	1	2000	8	157	0.31	0.20										
PM10 Daily Average Emission (lbs/workday)												1.3		4.3			
PM10 Annual Emission (tons/year)																	
							Year 2020: Total PM10				0.05 tons				Year 2021: Total PM		

Newport Harbor Dredging (NEPA Projects) - Air Pollutant Emission Inventory - PM25

Year 2020

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/Day	Work Days	Load Fac	PM25 Fac	2020				2020				Jan	
							Nov 1st	2nd	3rd	4th	Dec 1st	2nd	3rd	4th	1st	2nd
Phase 1: Entrance Channel Dredging and Rock Revetment																
Subphase 1a - Mobilization (Larger Dredge Equipment)																
	Crew/Work Boat	2	100	5	15	0.38	0.18				0.2					
	Mechanical Dredger	1	2500	2	15	0.29	0.06				0.2					
	Split Hull Barge	2	350	3	15	0.38	0.18				0.3					
	Tugboat	1	2000	2	15	0.31	0.18				0.5					
Subphase 1b: Dredge Entrance Channel																
	Mechanical Dredger	1	2500	10	16	0.29	0.06						0.9			
	Tugboat	1	2000	5	16	0.31	0.18						1.2			
	Crew/work Boat	2	100	5	16	0.38	0.18						0.2			
	Split Hull Barge	2	350	3	16	0.38	0.18						0.3			
Subphase 1c: Rock Revetment Repairs																
	Dozer	1	215	10	60	0.40	0.29						0.6			
	Crane	1	170	10	60	0.29	0.27						0.3			
	Haul Truck	1	485	10	60	0.38	0.08						0.3			
	Front Loader	1	48	10	60	0.36	0.44						0.2			
Subphase 1d: Demobilization																
	Crew/work Boat	2	100	5	15	0.38	0.18									
	Mechanical Dredger	1	2500	2	15	0.29	0.06									
	Split Hull Barge	2	350	12	15	0.38	0.18									
	Tugboat	1	2000	2	15	0.31	0.18									
Phase 2: Dredge Suitable Material in Federal Channels																
Subphase 2a: Mobilization																
	Crew/work boat	2	100	5	15	0.38	0.18									
	Mechanical Dredger	1	2500	2	15	0.29	0.06									
	Split Hull Barge	2	350	3	15	0.38	0.18									
	Tugboat	1	2000	2	15	0.31	0.18									
Phase 2b: Dredge Suitable Material in Federal Channels																
	Crew/work boat	2	100	5	157	0.38	0.18									
	Mechanical Dredger	1	2500	10	157	0.29	0.06									
	Split Hull Barge	2	350	3	157	0.38	0.18									
	Tugboat	1	2000	8	157	0.31	0.18									
PM25 Daily Average Emission (lbs/workday)												1.1		3.9		
PM25 Annual Emission (tons/year)																
							Year 2020: Total PM25				0.05 tons				Year 2021: Total PM	

Newport Harbor Dredging (NEPA Projects) - Air Pollutant Emission Inventory - ROG

Year 2020

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/ Day	Work Days	Load Fac	ROG Fac	2020				2020				Jan			
							Nov 1st	2nd	3rd	4th	Dec 1st	2nd	3rd	4th	1st	2nd		
Phase 1: Entrance Channel Dredging and Rock Revetment																		
Subphase 1a - Mobilization (Larger Dredge Equipment)																		
	Crew/Work Boat	2	100	5	15	0.38	0.31					0.3						
	Mechanical Dredger	1	2500	2	15	0.29	0.18					0.6						
	Split Hull Barge	2	350	3	15	0.38	0.31					0.5						
	Tugboat	1	2000	2	15	0.31	0.31					0.8						
Subphase 1b: Dredge Entrance Channel																		
	Mechanical Dredger	1	2500	10	16	0.29	0.18							2.9				
	Tugboat	1	2000	5	16	0.31	0.31							2.1				
	Crew/work Boat	2	100	5	16	0.38	0.31							0.3				
	Split Hull Barge	2	350	3	16	0.38	0.31							0.5				
Subphase 1c: Rock Revetment Repairs																		
	Dozer	1	215	10	60	0.40	0.62							1.2				
	Crane	1	170	10	60	0.29	0.54							0.6				
	Haul Truck	1	485	10	60	0.38	0.25							1.0				
	Front Loader	1	48	10	60	0.36	1.48							0.6				
Subphase 1d: Demobilization																		
	Crew/work Boat	2	100	5	15	0.38	0.31											
	Mechanical Dredger	1	2500	2	15	0.29	0.18											
	Split Hull Barge	2	350	12	15	0.38	0.31											
	Tugboat	1	2000	2	15	0.31	0.31											
Phase 2: Dredge Suitable Material in Federal Channels																		
Subphase 2a: Mobilization																		
	Crew/work boat	2	100	5	15	0.38	0.31											
	Mechanical Dredger	1	2500	2	15	0.29	0.18											
	Split Hull Barge	2	350	3	15	0.38	0.31											
	Tugboat	1	2000	2	15	0.31	0.31											
Phase 2b: Dredge Suitable Material in Federal Channels																		
	Crew/work boat	2	100	5	157	0.38	0.31											
	Mechanical Dredger	1	2500	10	157	0.29	0.18											
	Split Hull Barge	2	350	3	157	0.38	0.31											
	Tugboat	1	2000	8	157	0.31	0.31											
ROG Daily Average Emission (lbs/workday)														2.2		9.1		
ROG Annual Emission (tons/year)																		
							Year 2020: Total ROG				0.11 tons				Year 2021: Total RC			

Newport Harbor Dredging (NEPA Projects) - Air Pollutant Emission Inventory - SO2

Year 2020

Phase/Subphase/Equipment	# Equip	Equip Hp	Hours/ Day	Work Days	Load Fac	SO2 Fac	2020				2020				Jan	
							Nov 1st	2nd	3rd	4th	Dec 1st	2nd	3rd	4th	1st	2nd
Phase 1: Entrance Channel Dredging and Rock Revetment																
Subphase 1a - Mobilization (Larger Dredge Equipment)																
	Crew/Work Boat	2	100	5	15	0.38	0.01				0.0					
	Mechanical Dredger	1	2500	2	15	0.29	0.01				0.0					
	Split Hull Barge	2	350	3	15	0.38	0.01				0.0					
	Tugboat	1	2000	2	15	0.31	0.01				0.0					
Subphase 1b: Dredge Entrance Channel																
	Mechanical Dredger	1	2500	10	16	0.29	0.01						0.1			
	Tugboat	1	2000	5	16	0.31	0.01						0.0			
	Crew/work Boat	2	100	5	16	0.38	0.01						0.0			
	Split Hull Barge	2	350	3	16	0.38	0.01						0.0			
Subphase 1c: Rock Revetment Repairs																
	Dozer	1	215	10	60	0.40	0.01						0.0			
	Crane	1	170	10	60	0.29	0.01						0.0			
	Haul Truck	1	485	10	60	0.38	0.01						0.0			
	Front Loader	1	48	10	60	0.36	0.01						0.0			
Subphase 1d: Demobilization																
	Crew/work Boat	2	100	5	15	0.38	0.01									
	Mechanical Dredger	1	2500	2	15	0.29	0.01									
	Split Hull Barge	2	350	12	15	0.38	0.01									
	Tugboat	1	2000	2	15	0.31	0.01									
Phase 2: Dredge Suitable Material in Federal Channels																
Subphase 2a: Mobilization																
	Crew/work boat	2	100	5	15	0.38	0.01									
	Mechanical Dredger	1	2500	2	15	0.29	0.01									
	Split Hull Barge	2	350	3	15	0.38	0.01									
	Tugboat	1	2000	2	15	0.31	0.01									
Phase 2b: Dredge Suitable Material in Federal Channels																
	Crew/work boat	2	100	5	157	0.38	0.01									
	Mechanical Dredger	1	2500	10	157	0.29	0.01									
	Split Hull Barge	2	350	3	157	0.38	0.01									
	Tugboat	1	2000	8	157	0.31	0.01									
SO2 Daily Average Emission (lbs/workday)							0.0				0.2					
SO2 Annual Emission (tons/year)							Year 2020: Total SO2				0.00 tons				Year 2021: Total SO	

